



**Gaumard®**  
Simulators for Health Care Education

# NEWBORN HAL® S3010

A Neonate at 40 weeks Gestational Age

- Easy to use
- Tetherless with wireless communication
- Fully responsive even while being carried
- Modeling and trending
- Comprehensive performance feedback

# NEWBORN HAL® S3010 | Tetherless with Wireless Communication

Newborn HAL allows you to take advanced simulation where you need to go and that can be at an accident scene, in an ER, in a Labor and Delivery room, or in a NICU. “Care in motion” also provides the opportunity for you to measure how well patient “hand-offs” take place. What is done well and what needs to be improved?

Color change with conditions/interventions

Ventilations and compressions are measured and logged

Intubatable airway

Select independent lung sounds

Control rate and depth of respiration and observe chest rise

Bilateral IV arms with fill/drain sites

Umbilical catheterization and pulses

ECG monitoring with real electrodes

Fontanelle, umbilical and bilateral brachial pulses synchronized with ECG

Temperature sensor placement detector

eCPR™ - Monitor CPR quality metrics in real-time including rate and compression depth, no-flow time, and excessive ventilation



## TETHERLESS

Control Newborn at distances up to 300 feet while he smoothly transitions between physiologic states in response to commands from a wireless tablet PC



## BILATERAL IV ARMS

Newborn HAL® has bilateral IV training arms that can be used for bolus or intravenous infusions as well as for draining fluids



## CYANOSIS

Color and vital signs respond to hypoxic events and interventions



## INTRAOSSSEOUS ACCESS

Intraosseous infusion and injection system with realistic tibia bones



## REALISTIC UMBILICUS

HAL's umbilicus can be catheterized and even has a pulse synchronized with programmed heart rate



## ECG MONITORING USING REAL ELECTRODES

Newborn has conductive skin regions that allow the application of real electrodes to view ECGs with physiologic variations, allowing the user to track cardiac rhythms with their own equipment just like with a human patient





# NEWBORN HAL® S3010 | Tetherless with Wireless Communication


Our intuitive and powerful software offers ease of use and the flexibility required by the most advanced simulation programs.

## UNI™ FEATURES


- Basic view provides windows for the 3D model of the simulator, a completely configurable vital signs monitor and an activities log.
- 3D image can be rotated or enlarged; the skin removed and physiologic parameters accessed to change any elements of a powerful physiologic engine.
- Physiologic parameter groups include airway, breathing, cardiac, cephalic and circulation. Move each about the status panel.
- Expand windows to include status, palettes, scenario, branching scenario, actions, log, monitors, and CPR recorder.
- Specify only frequently used parameters or be as detailed as you wish



Scenarios link physiologic states



Hypoxic model responds to care provider actions



Track the actions of up to six care providers



Optional 12" Touch Screen Tablet to display vital signs

Optional 20 inch "all-in-one" touchscreen monitor to display vital signs

## VITAL SIGNS MONITOR

- Optional 20 inch "all-in-one" touchscreen
- Virtual monitor or 12" Touch Screen Tablet to display vital signs
- Customize each trace independently; users can set alarms, and time scales.
- Display up to 12 numeric values including HR, ABP, CVP, PAWP, NIRP, CCO, SpO2, SvO2, RR, EtCO2, temperature, and time
- Select up to 12 dynamic waveforms including ECG Lead
- I, II, III, aVR, aVL, aVF, V1, V2, V3, V4, V5, V6, AVP, CVP, PAWP, pulse, CCO, SvO2, respiration, capnography.
- Share images such as x-rays, CT scans, lab results, or even multimedia presentations as the scenario progresses

# NEWBORN HAL® S3010 | Tetherless with Wireless Communication

## GENERAL

- Available in ethnic skin tones
- Tetherless and fully responsive even while being transported
- Powered from an internal rechargeable battery or wall outlet
- Battery capable of 300 recharges and operate the simulator up to 4 hours
- Simulator receives commands from a wireless tablet PC and operate at distances up to 300 feet
- Option to operate automatically using Automatic mode or by the Instructor
- Training Guide with both basic and advanced interactive scenarios
- Use pre programmed scenarios, modify them or create your own quickly and easily
- Simulation Made Easy™

## AIRWAY

- Multiple upper airway sounds synchronized with breathing
- Nasal or oral intubation
- Right mainstem intubation
- Sensors detect depth of intubation
- Airway may be obstructed
- Block right lung, left lung, or both lungs
- Head tilt/ chin lift
- Jaw thrust
- Simulated suctioning techniques can be practiced
- Bag-Valve-Mask Ventilation
- Placement of conventional airway adjuncts
- Endotracheal intubation using conventional ETTs
- Retrograde intubation
- Sellick maneuver brings vocal cords into view

## BREATHING

- Control rate and depth of respiration and observe chest rise
- Automatic chest rise is synchronized with respiratory patterns
- Select independent left and right upper lung sounds
- Chest rise and lung sounds are synchronized with selectable breathing patterns
- Accommodates assisted ventilation including BVM and mechanical support
- Ventilations are measured and logged
- Chest compressions generate palpable blood pressure wave form and ECG artifacts
- Detection and logging of ventilations and compressions
- Simulated spontaneous breathing
- Variable respiratory rates and inspiratory/ expiratory ratios
- Bilateral chest rise and fall
- Unilateral chest rise simulates pneumothoraces
- Normal and abnormal breath sounds

## CARDIAC

- ECGs are generated in real time with physiologic variations never repeating textbook patterns
- Heart sounds may be auscultated and are synchronized with ECG

## CIRCULATION

- Measure blood pressure by palpation or auscultation
- Use real modified BP cuff to measure blood pressure
- Korotkoff sounds audible between systolic and diastolic pressures
- Pulse sites synchronized with BP and heart rate
- Bilateral IV arms with fill/drain sites
- Realistic flashback

- SubQ and IM injection sites
- Intraosseous access at tibia
- Chest compressions are measured and logged
- ECG monitoring using real devices; apply real electrodes to conductive skin regions
- Multiple heart sounds, rates and intensities
- ECG rhythms are generated in real time
- Heart sounds synchronized with ECG
- Dynamic rather than static 12 lead ECG display with optional Automatic Mode and Vital Signs Monitor
- Fontanelle, umbilical and bilateral brachial pulses synchronized with ECG

## SPEECH

- Pre recorded crying
- Articulation and Movement
- Seizure/convulsions
- Muscle tone active, right arm only, left arm only, reduced and limp
- Realistic rotation of the shoulder and hip joints
- Legs bend at the knees
- Supine or semi-recumbent positions

## OTHER

- Cyanosis
- Color and vital signs respond to hypoxic events and interventions
- Fill bladder and perform Foley catheterization
- Interchangeable genitalia
- Umbilical catheterization
- Umbilicus with two arteries and one vein. Even practice cutdowns
- Temperature probe placement
- Insert feeding tubes
- Auscultate bowel sounds
- Remains fully functional even while in transit

## USER INTERFACE

- Sensors track student actions
- Changes in condition and care provided are time stamped and logged
- View the actions of up to 6 care providers using a responsive menu or write narrative
- Generate and share diagnostic lab results
- File sharing through Vital Signs Monitor
- Links with optional recording and debriefing system integrating the event log with cameras and patient monitor
- Supplied with wireless tablet PC
- Optional automatic mode
- 20 pre programmed scenarios which can be modified by the instructor even during the scenario
- Create your own scenarios - add/edit
- Change simulator's condition during the scenario

Skin tones available at no extra charge

● Light ● Medium ● Dark

## NEWBORN HAL®

### S3010

Patented; other patents pending

### 20" ALL-IN-ONE TOUCH SCREEN PC TO DISPLAY VITAL SIGNS

### S3010.001.R2

- Controlled via wireless tablet PC
- Simulated vital signs
- Use selected configuration or create your own configuration to mimic the real monitors used in your facility
- Customize alarms
- Easy to operate and control
- Reflect simulator's condition during the scenario
- Share images such as ultrasounds, CT scans, lab results
- Touchscreen control
- Monitor can be configured by the instructor to suit the scenario
- Display up to 12 numeric parameters
- Select up to 12 dynamic waveforms

### 12" TOUCH SCREEN PC TO DISPLAY VITAL SIGNS

### S3010.002

### REAL CO2 EXHALATION

### S3010.078

- Real and measurable EtCO2
- 10 programmable levels of CO2 output
- Portable design allows continuous monitoring during transport.

### AUTOMATIC MODE

### S3010.600

- Intuitive interface and automaticity makes simulation easy
- Vital signs are generated in real time
- Drug library with medications
- Use of medications change conditions in real time mimicking real clinical situations

### NEONATAL STABILIZATION SCENARIO PACKAGE AND GUIDEBOOK BASED ON THE S.T.A.B.L.E.™ PROGRAM CURRICULUM

### CD100

## REQUEST A QUOTE

14700 SW 136th Street | Miami, Florida 33196-5691  
P.O. Box 140098 | Coral Gables, Florida 33114-0098

U.S. and Canada Toll-free | Call 8:00 a.m.- 7:30 p.m. ET Monday - Friday | 800.882.6655

Worldwide: 305.971.3790

Web Site: [www.gaumard.com](http://www.gaumard.com)

Sales / Customer Service: [sales@gaumard.com](mailto:sales@gaumard.com)